



FHP MOTORS DIVISION

FHP PRICE LIST No - 13 STANDARD MOTORS

Ref : FHP/ALP-STD/24-25/ 13 w.e.f. 10/06/2024

Millenium Series

Single Phase , 220 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors

4 pole, Foot Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	List Price - INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	4880
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	*GF4555	4880
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	*GF6964	6430
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	8870
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4MD	GF6566Z	12800
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	13690
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	16790
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	19400
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	*GF6987	20530
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	18150
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	20310
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	*GF6989	20750
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	*GF6909	21560
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	24290
3.0	2250	4	100S	TEFC	CSCR	General Purpose	3S4HT	GF6565-TEFC	24290
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	*GF6988	24530
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	25480
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	*GF6990	25730
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	*GF6963	26200

2 pole, Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	9280
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	12500
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	12330
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	15900



FHP MOTORS DIVISION

Maestro Series

Single Phase , 220 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors

4 pole Foot Mounted Motors



HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	*GF6093	5360
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	*GF6347	5110
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	4350
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LDE-SODA	*GF4523	3870
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	3520
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	3520
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	*GF6102	5190
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	5530
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	7270
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	*GF6091	7860
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	7390
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	6600
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	9650
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	11070
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	*GF6879	11070
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	*GF6806	12030
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	*GF6901	14940
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	*GF6902	17440
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approval	2S4HTE	GF6564-SPL	17620
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	*GF6904	18750

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	7920
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	9460

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting



HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	7420
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HT-FLG	GF6940	9670
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	14160
1.5	1100	4	IEC 90	TEFC	CSCR	General Purpose	1.5S4HT-FLG	GF6998	17620
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	16970
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	19470
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	24170



FHP MOTORS DIVISION

Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	7740
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	11010

2 pole NEMA Flange Mounted Lawn Mower Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	12380
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	10960
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	16550
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	17590

2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	16250
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	15950
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB Box)	2S2HT-FLG+MCB	GF6959	16840
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	16850
3.0	2250	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	3S2HT-FACE+MCB	GF6972	24170
2.0	1500	2	B56	TEFC	M	Foot cum Face	2S2HT-FACE+MCB-TP	GF6973	12800
3.0	2250	2	B56	TEFC	M	Foot cum Face	3S2HT-FCF-TP	GF6974	16010
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	22540
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Model)	2S2HTE-FCF	GF6892	12610
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	12370

Rhino Series

Single Phase , 220 Volts, CI Body , IEC Frame, FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4M	GF7055	12470
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	13450
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Mark	1C4H	GF7058	13950
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	18630
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	19540
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	20440
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	28520
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	29470
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	49230
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	49650



FHP MOTORS DIVISION

7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	79460
-----	------	---	------	------	------	-----------------	--------	--------	-------

4 pole, IEC Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	13690
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	29590

Sheetal Series

Single Phase , 220 Volts, CI Body , IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	12200
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	16250
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	17680
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	23570

e Lite Series

Single Phase , 220 Volts, Aluminium Body, IEC Frame FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers	0.25A4L	GF7501	6200
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	8340
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers	0.33A4L	GF7238	6370
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers	0.5A4L	GF7502	7740
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	9230
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	11490
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers	0.75A4L	GF7241	9520
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers	1A4L	GF7503	10840
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	12680
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	16190
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers	1.5A4L	GF7243	15720
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers	2A4L	GF7244	17090
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	17860
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers	3A4L	GF7246	21850
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	24830



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	7020
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	7740
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	9410
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	10840
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	10960
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	12380
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	11780
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	13090
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	15480
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	16790
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	17730
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	19470

4 pole Flange Mounted Motors

eLite SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	6550
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	7620
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	8130
0.25	180	4	IEC71	TEFC	PSC	General Purpose	0.25A4H-FLG	GF7261	8100
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	8680
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	10840
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	8390
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	10170
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	10000
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	11070
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	10240
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	12620
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	19530
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	26200

2 pole Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	6200
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	7740
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	10120
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	14920



FHP MOTORS DIVISION

3 RS Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors



4 pole , Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	8940
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	11190
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	12980
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	19480

Power Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	6790
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	9770
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	11430
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	14160

Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	5010
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	6620
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	7790
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	10070
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	12200
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	16080

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.



4 , 6 & 8 Pole, Pad Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.13	90	4	95D	TE AOM	12	12" Fan	12EX4-	GF4414	2550
0.03	25	2	95D	TE AOM	PSC	12" Fan	12EX2-	GF4553	2270
0.03	25	2	95D	TE AOM	PSC	12" Fan(Lug Mounting)	12CO2-LUG	GF7411	1750
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW	GF4662R-CW-S	1900
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW	GF4662R-ACW-S	1900
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW-COWL	GF4662R-CW-COWL-S	1990



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4662R-ACW-COWL-S	1990
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	2280
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	2280
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-CW-S	2000
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-ACW-COWL-S	2100
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3	GF4663R-ACW-S	2000
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3 COWL	GF4663R-CW-COWL-S	2100
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL	2400
0.14	107	4	110D	TE AOM	PSC	17" Coolers	17CO4E-3 COWL	GF4664R-ACW-COWL-B	2650
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed(Eco)	16CL4-3E	GF4519	3400
0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	4770
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	3820
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed	16CL4-3	GF7410	3170
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	3940
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	4000
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	4840
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	5220
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	4540
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 113 deg. angle	-	GF4667R-COWL	3500
0.25	180	4	B48	TE AOM	PSC	18.5" Climatizer 100 deg angle	-	GF4659R-COWL	3375
0.25	180	4	B48	TE AOM	PSC	17" climatizer 113 deg angle	-	GF4666R-COWL	3050
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	8390
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	7090
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	8620

PSC : Permanent Split Capacitor Motor
CSCR : Capacitor Start Capacitor Run Motor

CSIR : Capacitor Start Induction Run Motor
S : Split Phase Motor

Note :

1. All Prices are subject to our general terms & condition of business policy .
2. GST - extra as applicable .
3. Any change in this would be charged as applicable at the time of despatch.
4. Prices are subject to change without notice.
5. This price list supersedes all our earlier price list
6. * marked ratings, 2 pole motors, flange motors, Aluminium body and CI body motors require MOQ of 50 nos.