



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

PRICE LIST No- 3 STANDARD MOTORS

Ref : FHP/ALP-STD/20-21/ 01 w.e.f. 17/10/2020

Millenium Series

Single Phase , 220 Volts, Rolled Sheet Body, NEMA/IEC Frame FHP Motors

MILLENIUM SERIES

4 pole. Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B48	DP	PSC	General Purpose	0.25S4LD	GF4228-BB	3200
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LD-SODA	GF4555	3200
0.33	250	4	B48	DP	PSC	Incubator / GP	0.33S4LD	GF6964	4250
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4MD	GF6434	5800
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4MD	GF6566	8450
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HT	GF6054	9000
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4HT	GF6563	11000
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD	2S4HT	GF6564	12800
2.0	1500	4	100S	TEFC	CSCR	General Purpose -HD with CI Endshield	2S4MT-CIES	GF6987	13000
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4MT	GF6834	12000
2.0	1500	4	100S	TEFC	CSCR	Wood Planer	2S4HT-WP	GF6230	13200
2.0	1500	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	2S4HT-WP+CIES	GF6989	13400
2.0	1500	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	2S4HT-WP+ITB	GF6909	14100
3.0	2250	4	100S	DPFC	CSCR	General Purpose	3S4HD	GF6565	16000
3.0	2250	4	100S	TEFC	CSCR	General Purpose	3S4HT	GF6565-TEFC	16000
3.0	2250	4	100S	TEFC	CSCR	General Purpose -HD with CI endshield	3S4HT-CIES	GF6988	16200
3.0	2250	4	100S	TEFC	CSCR	Wood Planer	3S4HT-WP	GF6567	16750
3.0	2250	4	100S	TEFC	CSCR	Wood Planer-with CI Endshield	3S4HT-WP+CIES	GF6990	16900
3.0	2250	4	100S	TEFC	CSCR	Wood Planer with integrated terminal box	3S4HT-WP+ITB	GF6963	17200

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	DP	CSIR	General Purpose	0.5S2MD	GF6132	5950
1.0	750	2	B56	DP	CSIR	General Purpose	1S2MD	GF6133	8000
1.0	750	2	B56	TEFC	CSIR	General Purpose	1S2MT	GF6144	8100
2.0	1500	2	B56	TEFC	CSCR	General Purpose	2S2MT	GF6217	10400



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Maestro Series

Single Phase , 220 Volts, Rolled Sheet Body , NEMA/IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP1	GF6093	3500
0.25	180	4	B56	DP	S	Surgical Pump	0.25S4LDE-SP2	GF6347	3400
0.25	180	4	B56	DP	PSC	General Purpose	0.25S4LDE	GF6090	2900
0.25	180	4	B48	DP	PSC	Soda making(with hub)	0.25S4LDE-SODA	GF4523	2550
0.25	180	4	B48	DP	PSC	Wet Grinder-CCW	0.25S4LDE-WG	GF4451	2350
0.25	180	4	B48	DP	PSC	Wet Grinder-CW	0.25S4LDESP3	GF4453	2350
0.33	250	4	B56	DP	PSC	Wet Grinder	0.33S4LDE	GF6102	3450
0.25	180	4	B56	DP	CSIR	General Purpose	0.25S4HDE	GF6779	3650
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HDE	GF6778	4800
0.5	370	4	B56	TEFC	CSIR	General Purpose	0.5S4MTE	GF6091	5200
0.5	370	4	B56	DP	CSCR	General Purpose	0.5S4HDE-Q	GF6890	4900
0.5	370	4	B56	DP	CSCR	Wet Grinder	0.5S4MDE	GF6781-H	4450
1.0	750	4	B56	DP	CSCR	General Purpose(LD)	1S4LDE	GF6784	6400
1.0	750	4	B56	DPFC	CSCR	General Purpose	1S4HDE	GF6782	7300
1.0	750	4	B56	TEFC	CSCR	General Purpose	1S4HTE	GF6879	7300
1.5	1100	4	B56	DPFC	CSCR	General Purpose	1.5S4MDE	GF6806	7900
1.5	1100	4	100S	TEFC	CSCR	General Purpose	1.5S4MTE	GF6901	9800
2	1500	4	100S	TEFC	CSCR	General Purpose	2S4MTE	GF6902	11500
2	1500	4	100S	TEFC	CSCR	General Purpose ISI Approva	2S4HTE	GF6564-SPL	11600
2	1500	4	100S	TEFC	CSCR	Wood Working	2S4HTE-WP	GF6904	12300

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	2	B56	TEFC	CSCR	General Purpose	0.5S2MTE	GF6828	5200
1.0	750	2	B56	TEFC	CSCR	General Purpose	1S2MTE	GF6829	6100



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Single Phase , 220-240 Volts, Rolled Sheet Body FHP Motors with IEC Flange Mounting

MAESTRO
SERIES

MILLENIUM SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4HT-FLG	GF6939	4700
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HT-FLG	GF6940	6200
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HT-FLG	GF6941	9300
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4LT-FLG	GF6823	11100
2.0	1500	4	IEC 90	TEFC	CSCR	General Purpose	2S4MT-FLG	GF6956	12800
3.0	1500	4	IEC 100	TEFC	CSCR	General Purpose	3S4HT-FLG	GF6942	15800

4 pole NEMA Flange Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.5	370	4	B56	DP	CSIR	General Purpose	0.5S4HD-NFLG	GF6741	5800
1.0	750	4	B56	DPFC	CSIR	General Purpose	1S4HD-NFLG	GF6743	8350
2.0	1500	4	100S	TEFC	CSCR	General Purpose	2S4HT-NFLG	GF6742	13200

Single Phase , 220-240 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	CSCR	General Purpose	0.25S4MTE-FLG	GF6937	4470
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25S4HTE-FLG	GF6796	3850
0.25	180	4	IEC 71	DP	CSIR	General Purpose	0.25S4HDE-FLG	GF6797	3700
0.5	370	4	IEC 71	TEFC	CSIR	General Purpose	0.5S4HTE-FLG	GF6795	5100
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1S4HTE-FLG	GF6938	7300

2 pole NEMA Flange Mounted Lawn Mower Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
1.0	750	2	B56	TEFC	CSIR	Lawn Mower	1S2HT-LM	GF6785	8200
1.0	750	2	B56	TEFC	CSIR	Lawn Mower-Eco model	1S2HTE-LM	GF6850	7150
2.0	1500	2	B56	TEFC	CSCR	Lawn Mower	2S2HT-LM	GF6155	10900
3.0	2250	2	B56	TEFC	CSCR	Lawn Mower	3S2LT-LM	GF6897	11200

2 pole NEMA Foot cum Flange Mounted Motors for Needle Vibrator Application

HP	Watts	Pole	Frame	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange	2S2HT-FCF	GF6156	10650
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face	2S2HT-FCFACE	GF6856	10500
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Integrated MCB)	2S2HT-FLG+MCB	GF6959	11000



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Integrated MCB Box)	2S2HT-FACE+MCB	GF6970	10900
3.0	2250	2	B56	TEFC	CSCR	Needle vibrator	3S2HT-FCF	GF6832	13300
2.0	1500	2	B56	TEFC	CSCR	Foot cum Flange(Eco Model)	2S2HTE-FCF	GF6892	8200
2.0	1500	2	B56	TEFC	CSCR	Foot cum Face(Eco Model)	2S2HTE-FCFACE	GF6877	8000
2.0	1500	2	B56	TEFC	M	Needle vibrator	2S2HT-FCF+TP	GF6751	8250
3.0	2250	2	B56	TEFC	M	Needle vibrator	3S2HT-FCF+TP	GF6752	10300



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Rhino Series

Single Phase , 220 Volts, CI Body , IEC Frame, FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	80	TEFC	CSCR	General Purpose - ISI Mark	1C4M	GF7001	8850
1.0	750	4	90	TEFC	CSCR	General Purpose - HD - ISI Ma	1C4H	GF7058	9000
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4H	GF7042	11600
2.0	1500	4	100L	TEFC	CSCR	General Purpose - ISI Mark	2C4M	GF7010	12800
2.0	1500	4	100L	TEFC	CSCR	General Purpose - HD	2C4H	GF7065	13200
3.0	2250	4	112M	TEFC	CSCR	General Purpose	3C4H	GF7003	18700
4.0	3000	4	112M	TEFC	CSCR	General Purpose	4C4H	GF7004	19200
5.0	3750	4	132M	TEFC	CSCR	General Purpose	5C4H	GF7005	31300
5.0	3750	6	132M	TEFC	CSCR	General Purpose	5C6H	GF7079	32200
7.5	5500	4	160M	TEFC	CSCR	General Purpose	7.5C4H	GF7076	53000

4 pole, IEC Flange Mounted Motors

HP	Watts	Pole	Mountin g Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1	750	4	IEC 80	TEFC	CSCR	General Purpose	1C4M-FLG	GF7020	9000
2	1500	4	IEC 100	TEFC	CSCR	General Purpose	2C4M-FLG	GF7059	12800
3	2250	4	112M	TEFC	CSCR	General Purpose	3C4H-FLG	GF7048	18700

Sheetal Series

Single Phase , 220 Volts, CI Body , IEC Frame, Economy Model FHP Motors



4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.5	370	4	80	TEFC	CSCR	General Purpose	0.5C4HE	GF7038	5750
1.0	750	4	90	TEFC	CSCR	General Purpose - ISI Mark	1C4HE	GF7039	8000
1.5	1100	4	100L	TEFC	CSCR	General Purpose	1.5C4ME	GF7019	10700
2.0	1500	4	100L	TEFC	CSCR	General Purpose- ISI Mark	2C4ME	GF7017	11600
3.0	2250	4	112	TEFC	CSCR	General Purpose - ISI Mark	3C4HE	GF7041	15500



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

e LiTe Series

Single Phase , 220 Volts, Aluminium Body, IEC Frame FHP Motors

eLiTe SERIES

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	63	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.25A4L	GF7501	4100
0.33	250	4	71	TEFC	CSCR	General purpose	0.33A4M	GF7237	5500
0.33	250	4	71	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.33A4L	GF7238	4900
0.5	375	4	71	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.5A4L	GF7502	5100
0.5	370	4	71	TEFC	CSCR	General purpose	0.5A4M	GF7239	5800
0.75	550	4	80	TEFC	CSCR	General purpose	0.75A4M	GF7240	7300
0.75	550	4	80	TEFC	PSC	Pumps/ Blowers/Gear Boxes	0.75A4L	GF7241	6300
1.0	750	4	80	TEFC	PSC	Pumps/ Blowers/Gear Boxes	1A4L	GF7503	7100
1.0	750	4	80	TEFC	CSCR	General purpose	1A4M	GF7504	8300
1.5	1100	4	90S	TEFC	CSCR	General purpose	1.5A4M	GF7242	10700
1.5	1100	4	90S	TEFC	PSC	Pumps/ Blowers/Gear Boxes	1.5A4L	GF7243	10300
2.0	1500	4	90L	TEFC	PSC	Pumps/ Blowers/Gear Boxes	2A4L	GF7244	11200
2.0	1500	4	90L	TEFC	CSCR	General purpose	2A4M	GF7245	11700
3.0	2200	4	100L	TEFC	PSC	Pumps/ Blowers/Gear Boxes	3A4L	GF7246	14300
3.0	2200	4	100L	TEFC	CSCR	General purpose	3A4M	GF7247	15200

2 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	2	63	TEFC	PSC	General purpose	0.25A2L	GF7248	4650
0.33	250	2	63	TEFC	PSC	General purpose	0.33A2L	GF7249	5100
0.5	370	2	71	TEFC	CSCR	General purpose	0.5A2M	GF7250	6100
0.75	550	2	71	TEFC	CSCR	General purpose	0.75A2M	GF7252	7100
1	750	2	80	TEFC	PSC	Pumps/ Blowers	1A2L	GF7254	7200
1	750	2	80	TEFC	CSCR	General purpose	1A2M	GF7255	7900
1.5	1100	2	80	TEFC	PSC	Pumps/ Blowers	1.5A2L	GF7256	7750
1.5	1100	2	90	TEFC	CSCR	General purpose	1.5A2M	GF7257	8600
2	1500	2	90S	TEFC	PSC	Pumps/ Blowers	2A2L	GF7258	10100
2	1500	2	90L	TEFC	CSCR	General purpose	2A2M	GF7259	11000
3	2200	2	90L	TEFC	PSC	Pumps/ Blowers	3A2L	GF7260	11100
3.0	2250	2	90	TEFC	CSCR	General purpose	3A2M	GF7235	12800



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

4 pole Flange Mounted Motors

elite SERIES

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.16	120	4	IEC 63	TEFC	PSC	Pump/Blowers	0.16A4L-FLG	GF7525	4300
0.25	180	4	IEC 71	TEFC	PSC	Pump/Blowers	0.25A4L-FLG	GF7220	5000
0.25	180	4	IEC 71	TEFC	CSIR	General Purpose	0.25A4M-FLG	GF7526	5300
0.25	180	4	IEC71	TEFC	CSCR	General Purpose	0.25A4H-FLG	GF7261	5400
0.50	370	4	IEC 71	TEFC	PSC	Pump/Blowers	0.5A4L-FLG	GF7519	5700
0.5	370	4	IEC71	TEFC	CSCR	General purpose	0.5A4M-FLG	GF7262	7100
0.50	370	4	IEC 80	TEFC	PSC	Pump/Blowers	0.5A4L-80FLG	GF7221	5600
0.50	370	4	IEC 80	TEFC	CSIR	General Purpose	0.5A4M-80FLG	GF7512	6700
0.75	550	4	IEC 80	TEFC	PSC	Pump/Blowers	0.75A4L-FLG	GF7223	6600
0.75	550	4	IEC 80	TEFC	CSCR	General Purpose	0.75A4M-FLG	GF7210	7300
1.00	750	4	IEC 80	TEFC	PSC	Pump/Blowers	1A4L-FLG	GF7225	6800
1.00	750	4	IEC 80	TEFC	CSCR	General Purpose	1A4M-FLG	GF7508	8300
2.0	1500	4	IEC 90	TEFC	CSCR	General purpose	2A4M-FLG	GF7263	12800
3.0	2200	4	IEC 100L	TEFC	CSCR	General purpose	3A4M-FLG	GF7264	17100

2 pole Flange Mounted Motors

HP	Watts	Pole	Mounting Flange	Enclosure	Type	Application	Description	Cat Ref	ALP- INR
0.25	120	2	IEC 63	TEFC	PSC	Pump/Blowers	0.25A2L-FLG	GF7212	4100
0.50	370	2	IEC 71	TEFC	PSC	Pump/Blowers	0.5A2L-FLG	GF7214	5100
1.00	750	2	IEC 80	TEFC	PSC	Pump/Blowers	1A2L-FLG	GF7216	6700
2.00	1500	2	IEC 90	TEFC	PSC	Pump/Blowers	2A2L-FLG	GF7218	9600



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

3 RS Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame Motors



4 pole , Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MD-TP	GF6793	5850
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MD-TP	GF6805	7400
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MD-TP	GF6794	8500
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MD-TP	GF6798	12600

Power Series

Three Phase , 415 Volts, Rolled Sheet Body, IEC Frame , Economy Model Motors

4 pole Foot Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
1.0	750	4	S80	DPFC	M	General Purpose	1S4MDE-TP	GF6851	4400
1.5	1100	4	S90	DPFC	M	General Purpose	1.5S4MDE-TP	GF6854	6400
2.0	1500	4	S90	DPFC	M	General Purpose	2S4MDE-TP	GF6852	7500
3.0	2250	4	S100	DPFC	M	General Purpose	3S4MDE-TP	GF6853	9300

Three Phase , 415 Volts, Rolled Sheet Body , Economy Model FHP Motors with IEC Flange Mounting

4 pole Flange mounted motors

HP	Watts	Pole	Mountin a Flange	Enclosure	Type	Application	Discription	Cat Ref	ALP- INR
0.25	180	4	IEC 63	TEFC	M	General Purpose	0.25S4MTE-TP+FLG	GF6936	3300
0.5	370	4	IEC 71	TEFC	M	General Purpose	0.5S4MTE-TP+FLG	GF6930	4250
1	750	4	IEC 80	DPFC	M	General Purpose	1S4MDE-TP+FLG	GF6931	5100
1.5	1100	4	IEC 90	DPFC	M	General Purpose	1.5S4MDE-TP+FLG	GF6933	6600
2	1500	4	IEC 90	DPFC	M	General Purpose	2S4MDE-TP+FLG	GF6932	8000
3	2250	4	IEC100	DPFC	M	General Purpose	3S4MDE-TP-FLG	GF8604	10600



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

Comfort Series

Single Phase & Three Phase , Rolled Sheet Body Motors for Air Handling Application.



4 , 6 & 8 Pole, Pad Mounted Motors

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.125	90	4	95D	TE AOM	12	12" Fan	12EX4-	GF4414	1770
0.03	25	2	95D	TE AOM	PSC	12" Fan	12EX2-	GF4553	1600
0.03	25	2	95D	TE AOM	PSC	12" Fan(Lug Mounting)	12CO2-LUG	GF7411	1290
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW	GF4577R-CW	1580
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW	GF4577R-ACW	1580
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3CW-COWL	GF4577R-CW-COWL	1660
0.14	107	4	110D	TE AOM	PSC	16" Coolers	16CO4E-3ACW-COWL	GF4577R-ACW-COWL	1660
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-CW	1500
0.14	107	4	110D	TE AOM	PSC	16" Coolers (Stud Mount)	16CO4E-3 STUD	GF4578R-ACW	1500
0.14	107	4	110D	TE AOM	PSC	18" Coolers	18CO4E-3	GF4579R-CW	1750
0.14	107	4	110D	TE AOM	PSC	18" Coolers	18CO4E-3 COWL	GF4579R-ACW-COWL	1850
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed(Eco)	16CL4-3E	GF4519	2400
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3E	GF4527	1900
0.14	107	4	B43	TE AOM	PSC	18" Cooler(Eco)-3 Speed	19CO4-4E	GF4527-COWL	2000
0.14	107	4	B44	TE AOM	PSC	18" Cooler(Eco)-3 Speed	20CO4-5E	GF4527R-COWL-ACV	2000
0.14	107	4	B42	TE AOM	PSC	18" Cooler-3 Speed	18CO4	GF4550	2420
0.14	107	4	B42	TE AOM	PSC	18" Cooler(Eco)-3 Speed	18CO4-3H	GF4558	2150
0.14	107	4	B42	TE AOM	PSC	18" Cooler (stud mtg)-3 Speed	18CO4-3 STUD	GF4559	1880
0.16	125	6	B48	TE AOM	PSC	18" Fan- 3 Speed	18EX6-3	GF4380	3330
0.16	125	4	B42	TE AOM	PSC	15" Fan	15EX4	GF4390	2650
0.14	107	4	B42	TE AOM	PSC	16"-Climatiser Motor-3 Speed	16CL4-3	GF7410	2200
0.16	125	4	B42	TE AOM	PSC	15" Fan-3 Speed	15EX4-3	GF4378	2750
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)	18EX4-E	GF4389	2800
0.25	180	4	B48	TE AOM	PSC	18" Fan	18EX4	GF4480	3330
0.25	180	4	B48	TE AOM	PSC	18" Fan-3 Speed	18EX4-3	GF4379	3650
0.25	180	4	B48	TE AOM	PSC	18" Fan(Eco)-3 Speed	18EX4-3E	GF4497	3150
0.50	370	6	B56	TE AOM	PSC	24" Fan	24EX6	GF6619	5800
0.50	370	6	B56	TE AOM	PSC	24" Fan(Eco)	24EX6-E	GF6872	4850
0.50	370	6	B56	TE AOM	M	24" Fan	24EX6-TP	GF6739	5950

Flame Proof Series

Explosion Proof Motors suitable for Gas Group IIA/IIB as per IS 2148



Smart solutions.
Strong relationships.

FHP MOTORS DIVISION

HP	Watts	Pole	Frame	Enclosure	Type	Application	New Cat ref	Old Cat Ref	ALP- INR
0.75	550	4	FP50	TEFC	CSCR	Fuel Dispenser	0.75F4	GF6442	12500
1.0	750	4	FP50	TEFC	CSCR	Fuel Dispenser	1F4	GF6557	14900

Note :

PSC : Permanent Split Capacitor Motor

CSIR : Capacitor Start Induction Run Motor

CSCR : Capacitor Start Capacitor Run Motor

S : Split Phase Motor

Note :

1. All Prices are subject to our general terms & condition of business policy .

2. GST - extra as applicable .

Any change in this would be charged as applicable at the time of despatch.

5. Prices are subject to change without notice. 6. This price list supersedes all our earlier price list